

Printing date 11/08/2023

Reviewed on 11/08/2023

1 Identification

- · Product identifier
- · Trade name: PREMIUM 4 P 10W/40
- · Application of the substance / the mixture

Engine oil

Only for proper handling.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MOTOREX USA Inc. 993 Federal Road Brookfield, CT 06804 (203) 775-1291 www.spectro-oils.com

- · Information department: Info.usa@motorex.com
- · Emergency telephone number:

USA + Kanada: 1 800 424 9300 (Chemtrec Chemical Manufacturers Association, Arlington, VA 22209)

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8	Distillates (petroleum), hydrotreated heavy paraffinic Aspiration Hazard 1, H304	≥5-≤7.5%
CAS: 64742-70-7 EINECS: 265-174-4 Index number: 649-477-00-2	Paraffin oils (petroleum), catalytic dewaxed heavy Aspiration Hazard 1, H304	≥5-≤7.5%



Printing date 11/08/2023 Reviewed on 11/08/2023

Trade name: PREMIUM 4 P 10W/40

(Contd. of page 1)

· Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Protective Action Criteria for Chemicals

PAC-1:		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	140 mg/m³
71-43-2	benzene	52 ppm
7439-92-1	lead	0.15 mg/m³
· PAC-2:		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	1,500 mg/m ³
71-43-2	benzene	800 ppm
7439-92-1	lead	120 mg/m ³
PAC-3:		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	8,900 mg/m ³
71-43-2	benzene	4000* ppm
7439-92-1	lead	700 mg/m ³

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- US



Printing date 11/08/2023 Reviewed on 11/08/2023

Trade name: PREMIUM 4 P 10W/40

(Contd. of page 2)

7 Handling and storage

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤50°C

- · Storage class: 10
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Additional information about design of technical systems: No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Breathing equipment:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

Color: Amber colored
 Odor: Mild petroleum
 Odor threshold: Not determined.
 Melting point/Melting range: Undetermined.

(Contd. on page 4)



Printing date 11/08/2023 Reviewed on 11/08/2023

Trade name: PREMIUM 4 P 10W/40

(Contd. of page 3)

Boiling point/Boiling range: Undetermined.
 Flammability (solid, gaseous): Not applicable.

Explosion limits:

Lower:

Not determined.

Upper:
Not determined.

Flash point:
Decomposition temperature:
Not determined.

Not determined.

Not determined.

Not determined.

· Viscosity:

• **Kinematic:** 97.2 mm²/s @ 40 °C (207 mm²/s @ 104 °F)

· Consistency

• **Dynamic:** Not determined.

Solubility in / Miscibility with

• Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water):
 Vapor pressure:
 Not determined.
 Not determined.

Vapor pressure:

Density: Not determined.
 Relative density Not determined.
 Vapor density Not determined.

Other informationAppearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

• Danger of explosion: Product does not present an explosion hazard.

Solvent separation test

· VOC content: 0.00 %

· Change in condition

· Evaporation rate Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50	values tha	t are relevant for classification:	
64742-54	-7 Distillate	es (petroleum), hydrotreated heavy paraffinic	
Oral	LD50	5,000 mg/kg (rat)	
	LOAEL	125 mg/kg/24h (rat)	
Dermal	LD50	2,000-5,000 mg/kg (rabbit)	
	NOAEL	150 mg/kg/24h (mouse)	
	•		(Contd. on page 5)

-US



Printing date 11/08/2023

Reviewed on 11/08/2023

Trade name: PREMIUM 4 P 10W/40

		(Contd. of page 4
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)

- · on the skin: Based on available data, the classification criteria are not met.
- · on the eve: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- Specific target organ toxicity single exposure
- Based on available data, the classification criteria are not met.
- · Specific target organ toxicity repeated exposure

Based on available data, the classification criteria are not met.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
71-43-2	benzene	1
7439-92-1	lead	2B
· NTP (Natio	onal Toxicology Program)	
71-43-2	benzene	K
7439-92-1	lead	R
· OSHA-Ca	(Occupational Safety & Health Administration)	
71-43-2 be	enzene	

12 Ecological information

· Toxicity

· Aqua	tic toxicity:
64742	2-54-7 Distillates (petroleum), hydrotreated heavy paraffinic
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)

Persistence and degradability No further relevant information available.

· Bioaccumulative potential

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

Partition coefficient >6 [---] (log Kow) (Bioaccumulation)

- Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)



Printing date 11/08/2023 Reviewed on 11/08/2023

Trade name: PREMIUM 4 P 10W/40

(Contd. of page 5)

- · Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	Void
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, ADR/RID/ADN, ADN, IMDG, IATA Class	Void
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Void
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	of Not applicable.
UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· Sara

· Section 3	55 (extremely hazardous substances):
None of th	ne ingredients is listed.
· Section 3	13 (Specific toxic chemical listings):
71-43-2	benzene
7439-92-1	lead

(Contd. on page 7)



Printing date 11/08/2023

Reviewed on 11/08/2023

Trade name: PREMIUM 4 P 10W/40

TSCA (Toxic	Substances Control Act):	d. of pag
•	Distillates (petroleum), hydrotreated heavy paraffinic	ACTIV
	Paraffin oils (petroleum), catalytic dewaxed heavy	ACTIV
	Distillates (petroleum), hydrotreated heavy paraffinic	ACTIV
	Paraffin oils (petroleum), catalytic dewaxed heavy	ACTIV
	Distillates (petroleum), solvent-dewaxed light paraffinic	ACTIV
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	ACTIV
	Zink-O,O,O',O'-tetrakis(1,3-dimethylbutyl)bis(dithiophosphat)	ACTIV
	1	ACTIV
113706-15-3	phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts	ACTIV
71-43-2	benzene	ACTIV
7439-92-1	lead	ACTIV
Hazardous A	Air Pollutants	
71-43-2 be	enzene	
7439-92-1 le	pad	
Proposition	<u>65</u>	
Chemicals k	nown to cause cancer:	
71-43-2 be	enzene	
7439-92-1 le	ad	
Chemicals k	nown to cause reproductive toxicity for females:	
7439-92-1 le	nown to cause reproductive toxicity for females:	
7439-92-1 le	pad	
7439-92-1 le	nown to cause reproductive toxicity for males:	
7439-92-1 le Chemicals k	nown to cause reproductive toxicity for males: enzene	
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le	nown to cause reproductive toxicity for males: enzene ead	
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k	nown to cause reproductive toxicity for males: enzene enad inown to cause developmental toxicity:	
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k 71-43-2 be	end inown to cause reproductive toxicity for males: enzene end inown to cause developmental toxicity: enzene	
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le	end inown to cause reproductive toxicity for males: enzene end inown to cause developmental toxicity: enzene ended	
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Carcinogeni	nown to cause reproductive toxicity for males: enzene ead nown to cause developmental toxicity: enzene ead cad categories	
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Carcinogeni EPA (Enviro	rnown to cause reproductive toxicity for males: enzene ead rnown to cause developmental toxicity: enzene ead fic categories nmental Protection Agency)	
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Carcinogeni EPA (Enviro	rnown to cause reproductive toxicity for males: enzene enad rnown to cause developmental toxicity: enzene enad cad categories nmental Protection Agency) enzene	A, K
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Carcinogeni EPA (Enviro 71-43-2 be 7439-92-1 le	rnown to cause reproductive toxicity for males: enzene ead rnown to cause developmental toxicity: enzene ead rc categories rnmental Protection Agency) enzene	A, K B2
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Carcinogeni EPA (Enviro 71-43-2 be 7439-92-1 le TLV (Thresh	rnown to cause reproductive toxicity for males: enzene enad rnown to cause developmental toxicity: enzene enad fic categories nmental Protection Agency) enzene enad fold Limit Value)	B2
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Carcinogeni EPA (Enviro 71-43-2 be 7439-92-1 le TLV (Thresh 71-43-2 be	rnown to cause reproductive toxicity for males: enzene ead rnown to cause developmental toxicity: enzene ead ic categories rnmental Protection Agency) enzene ead rold Limit Value) enzene	B2
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Carcinogeni EPA (Enviro 71-43-2 be 7439-92-1 le TLV (Thresh	rnown to cause reproductive toxicity for males: enzene ead rnown to cause developmental toxicity: enzene ead ic categories rnmental Protection Agency) enzene ead rold Limit Value) enzene	
7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Chemicals k 71-43-2 be 7439-92-1 le Carcinogeni EPA (Enviro 71-43-2 be 7439-92-1 le TLV (Thresh 71-43-2 be 7439-92-1 le	rnown to cause reproductive toxicity for males: enzene ead rnown to cause developmental toxicity: enzene ead ic categories rnmental Protection Agency) enzene ead rold Limit Value) enzene	B2

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required. (Contd. on page 8)



Printing date 11/08/2023

Reviewed on 11/08/2023

Trade name: PREMIUM 4 P 10W/40

(Contd. of page 7)

- · Date of preparation / last revision 11/08/2023

- Abbreviations and acronyms:
 Aspiration Hazard 1: Aspiration hazard Category 1
 * Data compared to the previous version altered.